

## TAPE

### → Description

During carpet fitting, please respect the following rules.

For every halls\*, you can use the tape Ref 4 0 2 3 from Rubantex.

#### **\*Caution : this tape is allowed accept on some sensitive areas :**

- Place des Lumières
- Main Entrance, reception Confluence et reception Bocuse
- Halls 2.3 et 6.3
- Halls 1 and 6.1 entries

For these areas, you have to use the following tape : Ref 4 12 3 from Rubantex.

→ **Contact Rubantex :** rubantex@wanadoo.fr – 04 72 05 65 50

This is a Chassieu based company.

All degradation will be invoiced via the state of place occurring at the beginning of setting up and at the end of rehabilitation of the spaces.



## CONCRETE ANCHORING

### → Description

Because of a large number of constraints, we strongly recommend to use load distribution plates. Each floor fixing is subject to validation by Eurexpo Lyon.

Your request has to respect the following characteristics :

- Concrete anchoring is only possible on road coating floors for halls 1, 2.1, 2.2, 3.1, 3.2, 4.1, 4.2, 5.1, 5.2, 6.1, 6.2, Galleries 2, 4 et 6.
- Concrete anchoring is forbidden in specific areas : Main Entrance / Place des Lumières / Esplanade, Hall 2.3 and 6.3, North and South patios, footbridges.
- Maximum diameter : 15mm
- Maximum width : 10cm
- Loads : 1,5 Ton/m2 on road coating floors, 0,5 Ton/m2 on technical gutters with load distribution plates.

Each hole will be invoiced 315 € Excl. VAT.

**We are not accountable for the metal anchors resistance.**

These anchor points have to be declared and ordered (on quotation only) imperatively to Eurexpo Lyon.  
If anchor points are not declared, this will be considered as a transgression, and will be invoiced to the Exhibitor with a raised priced of 600€ Excl. VAT per hole.

